



falezçelikkapı®


it is time for perfection...



outdoor indoor
security door
style of

2020

www.falezcelikkapi.com



PIVOT



PVT 102

Pivot Seri

DB 90

Mostar Kalın Altın Meşe | Mostar Line Wood



DB - 90
Kalın Altın Meşe
Line Wood



DB - 91
Ince Altın Meşe
Fine Wood



DB - 93
Tıkkı
Teak



Pivot Serisi

KASA

- 2 mm galvaniz çelik

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Dış ortam koşullarına dayanıklı yüzey
- 70 kg/m³ yoğunluklu taş yünü dolgu
- Monoblok kilit sistemi
- 180 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Özel pivot menteşesi

DOOR FRAME

- It is made from 2 mm galvanized steel

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special coating over front steel leaf
- Inside door leaf is filled by 70 kg/m³ density rockwool
- Monoblock locking system
- Chromium or Aluminum quadratic 180 cm door handle
- Special pivot hinges
- Around door leaf is designed by special anodized aluminium



DB - 98
Koyu Abanoz
Dark Ebony



DB - 99
Ağık Abanoz
Light Ebony



DB - 86
Antik Bambu
Antique Bamboo



DB - 95
İnce Ceviz
Nussbaum



PVT 104
Pivot Serisi
Pivot Doğal Ağaç | Pivot Wooden



PVT 103
Pivot Serisi
Pivot Cam | Pivot Glass





PR 101
Pierre Serisi
Piano Antrasit - Tütün
Piano Antrasit - Tobacco



PR 102
Pierre Serisi
Piano Antrasit - DB 94 Açık Altın Meşe
Piano Antrasit - DB 94 Kiefer Line Wood

PR 101
Pierre Serisi
Piano Antrasit - Tütün
Piano Antrasit - Tobacco

KASA

- 2 mm galvanized steel
- 18 - 24 cm wall thickness
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Dış ortam koşullarına dayanıklı taş yüzey
- 42 denste poliüretan dolgu
- Merkezi 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 50 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks durbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cmm holds special manufacturing
- Electrostatic powder paint
- inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special natural stone coating over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or Aluminium quadrat 50 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

CERAMIC



SRM 101

Seramik Serisi

Metalik Kızıl

Metallic Red

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı seramik yüzey
- 42 densite poliüretan dolgu
- 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- inside frame has decorative eloxal
aluminum profile

OPTIONAL

- Aluminium & Wooden frame coating
can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith
plates galvanized steel
- Ceramic stone coating suitable for exterior
surface on steel
- Inside door leaf is filled by 42 density
polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special
anodized aluminium




SRM 102

Seramik Serisi

Mokka

Mocha





* Thermowood® Ürünü her iki yılda bir koruyucu olarak su bazlı vernik ile bakımı yapılır.
Bu işlem ilk olarak fabrikamızda uygulanır.

* The product of Thermowood® is preserved every 2 years with a water based varnish as a preservative.
This process is applied in our factory.

WDN 100
Wooden Series
Noble Natural Wood

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri 8 mm masif dışbüdak yüzey
- 42 denste poliüretan dolgu
- 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum elektro statik boyalı kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- 8 mm natural wooden surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium electro static painted door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



WOODEN



WDN 101
Wooden Series
Marin
Marine

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri su kontrasi yüzey, krom ve cam detay
- 42 densite poliüretan dolgu
- 14 lük kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dönbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminum & Wooden frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Water-contrast wooden surface over front steel leaf with chrome and glass detail.
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



DELUX GLASS



DLX 100

DELUX Serisi

Ultra
Ultra

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Kanadın her iki tarafında çelik üzeri 6 mm temperli dekoratif cam yüzey / 42 densite poliüretan dolgu
- Merkezi 14 lü kilit sistemi / 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi / 120 cm Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün / Kaynaksız ayarlı menteşe

DOOR FRAME

- İt is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL


- Aluminium & Wooden frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface on both sides of steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system / 6 pieces stable safety pin
- Hidden safety clips / 120 cm Chromium or aluminium door handle
- Luxury peephole / Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



TPE
Taraflından
Patentlenmiştir



DELUX GLASS



DLX 101
DELUX Serisi
Milenium
Millennium

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum kasa kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Kanadın her iki tarafında çelik üzeri 6 mm temperli dekoratif cam yüzey / 42 dencite poliüretan dolgu
- Merkezi 14 lü kilit sistemi / 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi / Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksal alüminyum çita / Geniş açılı lüks dörbün / Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL


Aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface on both side of steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system / 6 pieces stable safety pin
- Hidden safety clips / Chromium or aluminium door handle
- Luxury peephole / Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



TPE
Tarafindan
Patentlenmiştir



GLASS



GLS 101

Glass Serisi
Piano Milano Ceviz
Piano Milano Walnut

KASA

- 2 mm galvaniz çelik - 18 ve 24 cm duvar kalınlığı - 24 cm ve üzeri özel ölçü - Standart Elektrostatik toz boyası - Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik - Özel fugalı cam yüzey - Kapı orta kısmı extra 1mm çelik PVC Kaplamalı dekoratif panel - 42 densite poliüretan dolgu - Merkezi 14 lü kilit sistemi - 6 adet sabit emniyet pimi - Gizli emniyet kelepçesi - Krom yada alüminyum kare kol - Kanat etrafı dekoratif eloksal alüminyum çita - Geniş açılı lüks dörbün - Kaynaksız ayarlı menteşe

DOOR FRAME



- It is made from 2 mm galvanized steel - Frame can be adjusted to 18 cm - 24 cm wall thickness - Over 24 cm holds special manufacturing
- Electrostatic powder paint - Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fuga designed fitted glass surface over front steel leaf middle part of door has extra 1 mm steel PVC lamination decorative panel - Inside door leaf is filled by 42 density polyurethane - 14 central locking system - 6 pieces stable safety pin - Hidden safety clips
- Chromium or aluminium quadratic door handle - Luxury peephole
- Weldless adjustable hinges - Around door leaf is designed by special anodized aluminium



GLASS



GLS 107

Glass Serisi
Cross Bronz
Cross Bronze

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KNAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri 6 mm temperli dekoratif cam yüzey
- 42 denste poliürethan dolgu
- Merkezi 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks durbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative designed 6mm tempered glass fitted surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium quadratic 120 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



GLASS



GLS 110
Glass Serisi
Glass Semi Antrasit Beyaz
Glass Semi Anthracite White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

GANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik Üzeri 6 mm temperli dekoratif cam yüzey ve ahşap detay
- 42 densite poliüretan dolgu
- Merkezi 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitten 6 mm tempered glass surface and wooden detail over front steel leaf
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium quadratic 120 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



GLASS

GLS 104

Glass Serisi

İstanbul Cam Beyaz
İstanbul White Glass

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyama
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum yada
Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri 6 mm temperli dekoratif cam yüzey
- 42 deniste poliüretan dolgu
- Merkezi 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or Aluminium frame
coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



GLS 108

Glass Serisi

Eva Beyaz-Açık Ceviz
Eva White-Light Walnut

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyama
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

CANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri 6 mm temperli dekoratif cam yüzey ve ahşap detay
- 42 deniste poliüretan dolgu
- Merkezi 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface and wooden detail over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium quadratic 120 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



GLS 109

Glass Serisi

Eva Beyaz - Açık Ceviz / Eva White - Light Walnut



ELEGANCE



ELG 113
Elegance Seri
Emperador Light - Empredor Light



Elegance Seri

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel waterproof yüzey
- 42 densite poliüretan dolgu
- Merkezi 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Crom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

ELG 108
Elegance Seri
Emperador Dark - Empredor Dark



DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special waterproof surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

NEOCLASSIC



NCS 101

Neoclassic Seri
Neoclassic Antrasit
Neoclassic Anthracite

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 densite poliürethan dolgu
- 14 lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Color Options



Antrasit Gri
Anthracite Grey



Beyaz
White



Siyah
Black



Ceviz
Walnut



NEOCLASSIC



NCS 101
Neoclassic Seri
Neoclassic Beyaz / Neoclassic White

Renk Skalası / Color Options



Antrasit Gri
Anthracite Grey

Beyaz
White

Ceviz
Walnut



NCS 102
Neoclassic Seri
Neoclassic Siyah / Neoclassic Black

Renk Skalası / Color Options



Antrasit Gri
Anthracite Grey

iyah
lack

Beyaz
White

Ceviz
Walnut

NEOCLASSIC



Roma 101

Neoclassic Seri
Neoclassic Roma Beyaz
Neoclassic Roma White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 deniste poliüretan dolgu
- 14 lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

Roma 102

Neoclassic Seri
Neoclassic Hanedan
Neoclassic Dynasty

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 deniste poliüretan dolgu
- 14 lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF


- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Renk Skalası / Color Options



Antrasit Gri
Anthracite Grey



Beyaz
White



Ceviz
Walnut


Renk Skalası / Color Options



Antrasit Gri
Anthracite Grey



Siyah
Black



Beyaz
White



Ceviz
Walnut





QRZ 118
Quartz Serisi
Eva Quartz Siyah Ceviz
Eva Quartz Black Walnut

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel tasarım MDF ve Cam yüzey
- 42 densite poliüretan dolgu
- 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kanat Üzeri özel HG MDF yüzey
- Geniş açılı lüks dörbün
- Kayaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating
can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling MDF fitted over front steel leaf
- Special HG laminated surface
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by
special anodized aluminium





QRZ 102

Quartz Serisi
Lines Beyaz
Lines White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli MDF yüzey
- 42 denste poliüretan dolgu
- 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaklı ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminum profile

OPTIONAL

- Aluminum & Wooden frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling MDF surface over steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

QRZ 103

Quartz Serisi
Mostar HG Siyah Milano Ceviz
Mostar HG Black Milano Walnut



QRZ 108

Quartz Serisi
Mostar HG Siyah Milano Ceviz
Mostar HG Black Milano Walnut



TPE
Tarafindan
Patentlenmiştir





QRZ 114
Quartz Serisi
Padışah 7016 Antrasit Gri
Sultan 7016 Anthracite Grey

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli doğal kaplama MDF yüzey
- 42 densite poliüretan dolgu
- 14 lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe



QRZ 113
Quartz Serisi
Hanedan Modern Ceviz
Dynasty Modern Walnut

KASA

- 2 mm galvaniz çelik
- 18-24 cm duvar kalınlığı
- 24 cm üzeri opsiyonel
- Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçenekleri

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik -Çelik üzeri özel modeli kabartma ahşap yüzey
- 42 densite poliüretan dolgu
- Merkezi 14'lu kilit sistemi
- Geniş açılı lüks boru dörbün
- 6 adet sabit emniyet pimi
- Gizli Emniyet Kelepçesi
- Krom yada Alüminyum kol
- Kanat etrafı dekoratif eloksal alüminyum çita kaynaksız ayarlı menteşe



QRZ 112
Quartz Serisi
Padışah Lake Beyaz PVC
Sultan White PVC

DOOR FRAME

- It is made from 2 mm monolithic plates galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile
- OPTIONAL**
- Aluminum & Wooden frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolithic plates galvanized steel
- Special embossed laminated wooden surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



ASYMMETRIC



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

Ahşap & Kompozit kasa kaplama seçenekleri

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli
- MDF yüzey
- 42 denste poliüretan dolgu
- Kanca kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufaturing
- Electrostatic powder paint

OPTIONAL

- Composite & Wooden frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling natural MDF coating over steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

Ahşap & Kompozit kasa kaplama seçenekleri

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli
- cam yüzey
- 42 denste poliüretan dolgu
- Kanca kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufaturing
- Electrostatic powder paint

OPTIONAL

- Composite & Wooden frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling natural glass coating over steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium


FLZ 118
Asimetrik Seri
Asymmetric Series



FLZ 119
Asimetrik Seri / Asymmetric Series



PRESTIJ



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış havा şartlarına uygun Kompozit yüzey
- 42 densite poliüretan dolgu
- Kanca kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special composite surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

PR 100

Prestij Serisi
Mostar DB 93 / DB 20
Tik / Beyaz
Teak / White

1,2mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

42 Densite Poliüretan Dolgu
Filled by 42 Density Polyurethane

Kanca Kilit Sistemi
Hook Locking System

1,2mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

Dış Hava Şartlarına
Dayanıklı Özel
Kompozit yüzey

Outdoor Weather
Durable Custom
Surface

Kanat Etrafı Özel Eloxalli
Alüminyum Çitra

Around Door Leaf is Designed by
Special Anodized Aluminum



PRESTIJ



PR 113
Prestij Serisi
Semi DB 99 / DB Siyah
Açık Abanoz / Siyah
Light Ebony / Black




PR 111
Prestij Serisi
Semi DB 94 / DB13
Açık Altın Meşe / Grafit Gri
Light Gold Oak / Graphite Grey

PR 112
Prestij Serisi
DB 90 / DB 13 Zen
İnce Altın Meşe / Grafit Gri
Fine Gold Oak / Graphite Grey



PR 110
Prestij Serisi
Semi DB 94 / DB 20
Açık Altın Meşe / Beyaz
Light GOLD Oak / White





ELT 105
Elit Serisi
Semi Fugali Tütün
Semi Fuga Tobacco

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli MDF yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel tasarım ahşap kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden Frame coating can be done (Optional)
- Inside door frame can be done decorative aluminium eloxal profile (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling MDF coating over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Special designed wooden door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium





ELT 110

Elit Serisi
verox
verox

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri doğal ahşap görünümlü laminant yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum elektrostatik boyalı çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame can be done decorative aluminium eloxal profile (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- The natural similar wood finish on the steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium electrostatic painted pull handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

ELT 106

Elit Serisi
Semi Antrasit Fugali Tütün
Anthracite Fuga Tobacco

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri doğal ahşap görünümlü laminant yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame can be done decorative aluminium eloxal profile (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- The natural similar wood finish on the steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium



ELIT



ELT 102
Elit Serisi
Zen HG Tütün Siyah
Zen Tobacco Black

ELT 101
Elit Serisi
Zen Tütün
Zen Tobacco



- KASA**
- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

- OPSİYONEL**
- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksal alüminyum profil

- KNAT**
- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel Parçalı modeli MDF yüzey
- 42 denste poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelebesi
- 50 cm krom yada alüminyum kol
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Geniş açılı lüks dörbün
- Kaynaksız ayarlı menteşe

- DOOR FRAME**
- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

- OPTIONAL**
- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame can be done decorative aluminium eloxal profile (Optional)

- DOOR LEAF**
- It is made from 1,2 mm two monolith plates galvanized steel
- Special pieced modelling MDF surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminum 50cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium



ELT 103

Elit Serisi
Semi Wood Tütün
Semi Wood Tobacco



KASA

- 2 mm galvaniz çelik
 - 18 - 24 cm duvar kalınlığı
 - 24 cm üzeri özel üretim
 - Elektrostatik toz boyası

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
 - Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
 - Çelik üzeri löş modeli MDF yüzey
 - 42 densite poliüretan dolgu
 - Kancalı Kilit sistemi
 - 3 adet sabit emniyet pimi
 - Gizli emniyet kelepçesi
 - 120 cm krom yada alüminyum kol
 - Kanat etrafı dekoratif eloksal alüminyum çita
 - Geniş açılı lüks dürbün
 - Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
 - Frame can be adjusted to 18 cm - 24 cm wall thickness
 - Over 24 cm holds special manufacturing
 - Electrostatic powder paint

OPTIONAL

- Tuana & Wooden Frame coating can be done (Optional)
 - Inside door frame can be done decorative aluminium eloxal profile (Optional)

DOOR | FAF

- It is made from 1,2 mm two monolith plates galvanized steel
 - Special modelling MDF coating over front steel leaf
 - Inside door leaf is filled by 42 density polyurethane
 - Hook locking system
 - 3 pieces stable safety pin
 - Hidden safety clips
 - Chrome or aluminium door handle (120 cm)
 - Luxury peephole
 - Weldless adjustable hinges
 - Around door leaf is designed by special anodized aluminium

ELT 104

Elit Serisi
Semi Wood Modern ceviz
Semi Wood Modern Walnut



SUNNY UV GLASS



Sunny UV Glass serisi tek kanat ve Çift kanat olarak üretilebilmektedir. Kilit özelliği Kanat tipine göre farklılık göstermektedir.
 (*) Tek kanat da kanca kilit sistemi ve Gizli Emniyet Kelepçesi Kullanılır.
 (**) Çift kanat da Monoblok Kilit sistemi kullanılır. G.E.K. KULLANILAMAZ

Sunny UV Glass serie can be manufactured as single leaf and double leaf. Lock specifications will be difference according to leaf type.

(*) On single leaf locking system, hook locking system and hidden safety clip is used.

(**) On double leaf locking system, monoblok locking system is used. Hidden safety clip is not used.



SNY UV 101
 Sunny UV Glass Serisi
 -Işık geçiren temperli cam
 -Light permeable tempered reflective Glass



SNY UV 101
 Sunny UV Glass Serisi
 Sara UV Beyaz
 Sara UV White



SNY UV 101
 Sunny UV Glass Serisi
 Sara UV Altın Meşe
 Sara UV Golden Oak

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Aluminum frame coating and Tuana coating can be done (Optional)
- Inside frame has decorative eloxal aluminum profile can be done (Optional)

DOOR LEAF

- It is made from 1.2 mm two monolith plates galvanized steel
- Special PVC laminated surface with chrome detail and transparent glass
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

CAM

- 6+52+6 Reflekte ışık geçirgen cam.

- 6+52+6 Light permeable tempered reflective glass



SUNNY UV GLASS




SNY UV 103
Sunny UV Glass Serisi
Diana Double
Diana UV Antrasit
Diana UV Anthracite



SNY UV 103
Sunny UV Glass Serisi
Diana
Diana UV Antrasit
Diana UV Anthracite



UV



1,2mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

42 Densite Poliüretan Dolgu
Filled by 42 Density Polyurethane

1,2 mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

UV Korumalı Özel Lamine Yüzey
Special UV Protected Laminated Surface

Kanat Etrafi Özel Eloksallı Alüminyum Çita
Around Door Leaf is Designed by Special Anodized Aluminum



UV 101
UV Serisi
Akik Fugali UV Ceviz
Akik Fuga UV Walnut

KASA

- 2mm galvaniz çelik
- 18-24- cm duvar kalınlığı
- 24 cm üzeri opsiyonel
- Elektrostatik toz boyası

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçenekleri
- Kasa içi dekoratif eloksal alüminyum profil çitra seçenekleri

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel UV korumalı lamine yüzey (Patentli sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lux boru dörbün
- 3 adet sabit emniyet pimi
- Gizli Emniyet Kelepçesi
- Krom yada Alüminyum 70 cm boru kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOORFRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
- 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL


- Tuana & Wooden frame coating can be done optional
- Inside the doorframe decorative aluminum coating is made

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special UV protected laminated surface over steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is made 42 density polyurethane filling
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm pipe door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by Special anodized aluminium
- (Optional) 8mm special MDF Front surface can be done

OPTIONAL

- 8MM Laminated MDF Front surface can be done



TPE
Tarafindan
Patentlenmiştir



UV

UV 102

UV Serisi

Akik Fugali UV Altın Meşe

Akik Fuga UV Golden Oak



KASA

- 2mm galvaniz çelik
- 18 -24- cm duvar kalınlığı
- 24 cm üzeri opsiyonel
- Elektrostatik toz boyası

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçenekleri
- Kasa içi eloksal dekoratif alüminyum profil

KANAT

- 1,2 mm x 2 yeğpare galvaniz çelik
- Çelik üzeri özel UV korumalı lamine yüzey (Patentli özel sistemi)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lux boru dörbün
- 3 adet sabit emniyet pimi
- Gizli Emniyet Kelepçesi
- Krom yada alüminyum 70 cm boru kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL

- Tuana & Wooden frame coating can be done optional.
- Inside the doorframe decorative aluminium coating is made

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- special UV protected laminated surface over steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is made 42 density polyurethane filling
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm pipe door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by Special anodized aluminium
- (Optional) 8mm special MDF Front surface can be done

UV 103

UV Serisi

Akik Fugali UV Beyaz

Akik Fuga UV White




UV VL 105
Düz UV Koyu Meşe | Flat Dark Oak



UV DBL 104
Düz UV Koyu Meşe Camlı Kasa
Flat UV Dark Oak Glass Frame

UV DBL 103
Düz UV Koyu Meşe Kasa
Flat UV Dark Oak Glass Frame

UV VL 101
Düz UV Koyu Meşe
Flat Dark Oak



TEK KANATLI KAPI ÖZELLİKLERİ SINGLE LEAF DOOR FEATURES

KASA

- 2 mm galvaniz çelik
- 18-24- cm duvar kalınlığı
- 24cm üzeri özel imalat
- Elektrostatik toz boyası

CAM

- 6+18+6 Temperli boyalı vitray clear isicam

OPSİYONEL

- Tuana, Ahşap yada Eloksal alüminyum kasa kaplama seçenekleri
- Kasa içi dekoratif eloksal alüminyum profil seçenekleri

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel UV korumalı lamine yüzey (patentli sistem)
- 42 denite poliüretan dolgu
- Kancalı kilit sistemi,
- Geniş açılı lüx boru dörrün
- 3 adet sabit emniyet pimi
- Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksal alüminyum çita Kaynaksız ayarlı menteşe 30 mm lamine temperli ısı cam

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
- 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

Glass

- 6+18+6 tempered painted stained clear double glazing

OPTIONAL

- Tuana & Wooden frame coating can be done optional
- Inside doorframe can be done decorative aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- special laminated UV protected surface over steel leaf (Special patented)
- Inside door leaf is filled 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door Handle
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

UV Kaplamalar benzersiz kreasyonlar ve yaratıcı tasarım çözümleri sunar, Doğadan iham alan renk seçenekleri sunar.

UV Coatings offer unique creations and creative design solutions. It offers color and surface options inspired by nature.

UV Villa serisi tek kanat, çift kanat ve yan taraf sabit camlı olarak üretilmekte- dir. Kilit özelliği Kanat tipine göre farklılık göstermektedir.

(*) Tek kanat ve sabit camlı kapılarında da kanca kilit sistemi ve Gizli Emniyet Kelepçesi Kullanılır.

(**) Çift kanat da Monoblok Kilit sistemi kullanılır.
G.E.K. KULLANILAMAZ

**) On double leaf, locking system
Monoblock locking system is used.
Hidden safety clip is not used.

UV Villa serie can be manufactured as single leaf, double leaf and fixed glass. Lock specifications will be difference according to leaf type.

(*) On single leaf and fixed glass doors, hook locking system and Hidden safety clip is used.



ST 508
UV Antrasit Gri
UV Anthracite Grey



ST 501
UV Koyu Meşe
UV Dark Oak



ST 510
UV Siyah
UV Black



ST 517
UV Beyaz
UV White



ST 500
UV Altın Meşe
UV Golden Oak

Exterior / 200 Micron
Dışmekan / 200 Micron

Properties	Methods	Value
Thickness of the Acrylic Layer UV folyo kalınlığı	-----	> 50 µ
Thickness (Only for plain films, not embossed) Kalınlık (Sadece düz filmler için)	DIN EN ISO 2286-3, 1998-07	200 µ , ± 8 µ
Colour Tolerances for Plain Films Düz filmler için renk toleransları	DIN 53236 (45/0), 1983-01	ΔE< 0,6 ΔL< 0,35 Δa< 0,30 Δb< +/ - 0,35
Colour Consistency of Printed Films UV folyo renk tutarlılığı	----	Manufacture and visual assessment with original specimen. Orjinal numune ile üretim tutarlılığı

ELIT SAFIR

SFR 103

Safir Serisi
Latice Modern Ceviz HG Beyaz
Lattice Modern Walnut HG White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel imalat
- Elektrostatik toz boyası

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel siyah HG lamine kaplama ve ahşap çita detayı
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame can be done decorative eloxal aluminium profile (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- HG laminated coating surface and wooden sticks over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium



Renk Skalası / Color Options



Siyah
Black



Beyaz
White

SFR 100

Safir Serisi
Karen Siyah Milano Ceviz
Karen Black Milano Walnut



GOLD



GLD 113
Gold Serisi
Akik Soft Touch Fırtına Gri
Akik Soft Touch Storm Grey

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksal alüminyum profil

KANJI

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri Soft Touch lamine yüzey ile lakeye dokunuyor hissi veriri (patentli özel sistem)
- Özel yüzey modelleme sistemi
- 42 denisite polüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbünl
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçeşi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside door frame can be done decorative eloxal aluminium profile (Optional)

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- It gives the feeling of touching the lacquer with Soft Touch laminated surface on steel.
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)



GLD 120
Gold Serisi
Serra
Serra



SILVER



SLV 1

Silver Serisi
Silver Lake Beyaz
Silver Lake White

KASA

- 2 mm galvaniz çelik
 - 18 - 24 cm duvar kalınlığı
 - 24 cm üzeri özel üretim
 - Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
 - Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
 - Çelik üzeri özel modeli silver lake beyaz lamine yüzey (patenti özel sistem)
 - Özel Yüzey Modelleme sistemi
 - 42 densite poliüretan dolgu
 - Kancalı kilit sistemi
 - Geniş açılı lüks boru dürbün
 - 3 adet sabit emniyet pimi
 - Gizli emniyet kelepçesi
 - Krom yada alüminyum 70 cm çekme kolu
 - Kanat etrafı dekoratif eloksal alüminyum çita
 - Kayaksız ayarlı menteşe

OPSIYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
 - Frame can be adjusted to 18 cm - 24 cm wall thickness
 - Over 24 cm holds special manufacturing
 - Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
 - Inside the door frame can be done decorative eloaxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
 - Silver lake white laminated surface over front steel leaf (special patented system)
 - Front surface modelling system
 - Inside door leaf is filled by 42 density polyurethane
 - Hook locking system
 - 3 pieces stable safety pin
 - Hidden safety clips
 - Chrome or aluminium 70 cm cylinder door handle
 - Luxury peephole
 - Weldless adjustable hinges
 - Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)



SILVER



SLV 104

Silver Serisi
Star Beyaz
Star White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsionel
- Kasa içi dekoratif eloksal alüminyum profil

CANAK

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli Silver lamine yüzey (patentli özel sistem)
- Özel Yüzey Modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dörbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame can be done decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)

SLV 116

Silver Serisi
Premium Gümüş
Premium Silver

SLV 115

Silver Serisi
Premium Bakır
Premium Copper



SLV 115

Silver Serisi
Premium Bakır
Premium Cooper

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsionel
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli Silver lamine yüzey (patentli özel sistem)
- Özel Yüzey Modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dörbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)



DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame can be done decorative eloxal aluminium profile



DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)





TPE
Tarafindan
Patentlenmiştir

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel silver lamine yüzey (patentli özel sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dörbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey
- DOOR FRAME**
- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)

SLV 105

Silver Serisi
Akık Fugali Tütün
Akık Fuga Tobacco



SILVER



SLV 102
Silver Serisi
Akik Fugali Cocco
Akik Fuga Cocco



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modeli silver lamine yüzey (patentli özel sistem)
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame can be done decorative eloxa aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)

SLV 101
Silver Serisi
Kehribar Fugali Modern Ceviz
Kehribar Fuga Modern Walnut




SILVER

SLV 107

Silver Serisi

Kehribar Fugali Tütün

Kehribar Fuga Tobacco



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsyonel
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel silver lamine yüzey (patentli özel sistem)
- Özel yüzey modellleme sistemi
- 42 denste poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dörbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çitra
- Kayaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR LEAF

- It is made from 1,2 mm two monolith
- plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done (Optional)

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame decorative eloxal aluminium profile

SLV 109

Silver Serisi

Tire Fugali Teak

Tire Fuga Teak



TPE
Taraflardan
Patentlenmiştir

SLV 108

Silver Serisi

Akik Fugali

Beyaz

Akik Fuga White



CLASSIC



TPE
Tarafından
Patentlenmiştir



KLS 101
Klasik Serisi | H - Jupiter Tütün
H - Jupiter Tobacco



KASA

- 2 mm galvanized steel
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksal alüminyum profil

CANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel lamine yüzey (patenti özel sistem)
- Özel yüzey modelleme sistemi
- 42 denste poliürethan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dörbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 30 cm çekme kolu
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaksız ayarlı menteşe

KLS 104
Klasik Serisi | D - Uranüs Beyaz
D - Uranüs White



DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done (Optional)
- Inside the door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces safety pin | Hidden safety clips
- Chrome or aluminum 30 cm door handle | Luxury peephole
- Weldless adjustable hinges | Around the door leaf is designed by special anodized aluminium

MONOBLOCK

MNB 101
Monoblok Serisi
Jüpiter Modern Ceviz
Jupiter Modern Walnut



MNB102
Monoblok Serisi
Merkür Teak
Mercury Teak

KASA

- 1,5 mm galvaniz çelik -18-24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

KANAT

- 1,2 mm x2 yekpare galvaniz
- Çelik üzeri lamine yüzey (patented özel sistem)
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi
- Standart dürbün
- 3 adet sabit emniyet pimi
- Lüks Hilal Kol
- Kanat etrafı parlak eloksal alüminyum çita
- Kaynaksız ayarlı menteşe



DOOR FRAME

- It is made from 1,5 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Laminated Surface over steel leaf (special patented system)
- Inside door leaf is filled by 42 density polyurethane
- Monoblok locking system
- 3 pieces stable safety pin
- Luxury "crescent" door handle
- Standard peephole
- Weldless adjustable hinges
- Around door leaf is designed by satin anodized aluminium

Kapılarımıza sahip olduğu sertifikalar

Certificates of our doors



TEKNİK KAPILAR


TECHNICAL DOORS

TKN 101

Yangın Kapısı
Fire Door
Duble Düz Krem
Double Flat Cream



TKN 102
Saf Kapaklı Tekli Krem
Shaft Cover Single Leaf
Cream
5113.58



TKN 103
Teknik Odası Kapısı
Technical Room Door
Düz Krem - Flat Cream
4313.58



TKN 104
Yangın Kapısı - Fire Door Yavru
Kanalı Düz Krem
Small Door Leaf Flat Cream



TKN 105
Yangın Kapısı - Fire Door Tekli
Düz Kırmızı
Single Leaf Kirmizi

TEKNİK KAPILAR

TECHNICAL DOORS



TKN 106

Yangın Kapısı - Fire Door
Yavru Kanatlı Camlı Antrasit
Small Door Leaf With Glass Anthracite



TKN 107

Yangın Kapısı - Fire Door
Tek Kanatlı Camlı Antrasit
Single Leaf with Glass Anthracite



TKN 120

Menfezli Teknik oda kapıları
Steel Door With Aluminium Louver
Single Leaf Anthracite



TKN 121

Çift Kanatlı Menfezli Teknik oda kapıları
Double Leaf Steel Door With Aluminium Louver Anthracite



TKN 108

Teknik Odası Kapısı
Çift Menfez

Technical Room Door
Double Vent

Düz Krem
Flat Cream

4313.58



TKN 109

Teknik Odası Kapısı
Tek Menfez

Technical
Room Door
Singel Vent

Düz Krem -
Flat Cream
4313.58



Teknik Oda Kapıları Genel Özellikler

Kasa

- 2 mm galvaniz çelik

Kanat

-1mm x2 yekpare galvaniz çelik

Boya Teknolojisi

-Çift katman Epoksi astar ve texture elektro statik boyalı

Kanat İç Malzemeleri (Sertifikalarına göre)

-Taş yünlü

-Seramik yünlü

-Alçıpan

Opsiyonel Aksesuar

-Alüminyum menfez

-İç, dış müdahale kolları

-Panik bar sistemleri

Technical Room Doors General Features

DOOR FRAME

- 2 mm Galvanized Steel

Door Leaf

-It is made from 1 mm two monolith plates galvanized steel

Paint Technology

-Double layer Epoxy primer and texture electrostatic paint

Leaf Inner Materials (According to their certificates)

-Rock wool

-Ceramic wool

-Drywall

(Optional) Accessory

-Aluminium louver

-Interior, external intervention arms

-Panic bar systems

DOUBLE



DBL 109

Double Serisi
Akik UV Koyu Meşe
Akik UV Dark Oak



DBL WDN 103

Double Serisi
Noble Doğal Ağaç
Noble Natural Wood

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

CAM

- 6+18+6 Temperli ısı cam

OPSİYONEL

- Tuana Ahşap kasa kaplama veya
Alüminyum geçme
- Kasa içi dekoratif eloksal
alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel silver lamine yüzey
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaklı ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

GLASS

- 6+18+6 Tempered double glazing

OPTIONAL

- Tuana & Aluminium or Wooden frame coating can be done
- Inside door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- special "Silver" laminated surface over steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Chrome or aluminium quadratic door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

CAM

- 6+18+6 Temperli ısı cam

OPSİYONEL

- Tuana Ahşap kasa kaplama veya Alüminyum geçme
- Kasa içi dekoratif eloksal alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel dış ortam şartlarına dayanıklı dış
bukal doğal ağaç
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal alüminyum çita
- Kaynaklı ayarlı menteşe

DOORFRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

GLASS

- 6+18+6 Tempered double glazing

OPTIONAL

- Tuana & Aluminium or Wooden frame coating can be done
- Inside door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Surface resistant to outdoor conditions
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Chrome or aluminium quadratic door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



DOUBLE



DBL WDN 104
Noble Doğal Ağaç
Noble Natural Wood



DBL PR 107
Pierre Serisi
Piano Antrasit - Cam
Piano Antrasit - Glass

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boyası

OPSİYONEL

- Tuana Ahşap kasa kaplama veya
Alüminyum gemicme
- Kasa içi dekoratif eloksal
alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel dış ortam şartlarına
dayanıklı dış budak doğal ağaç
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi
- Geniş açılı lüks boru dörbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksal
alüminyum çita
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
18 cm - 24 cm wall thickness
- Over 24 cm holds special
manufacturing

GLASS

- 6+18+6 Tempered double glazing

OPTIONAL

- Tuana & Aluminium or
Wooden frame coating can be done
- Inside door frame decorative
eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two
monolith plates galvanized steel
- Surface resistant to outdoor
conditions solid iish tree
- Inside door leaf is filled by 42
density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Chrome or aluminium
quadratic door handle 50 cm
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by
special anodized aluminium

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart Elektrostatik toz boyası
- Kasa içi dekoratif eloksal
alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa
kaplama seçenekleri

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Dış ortam koşullarına dayanıklı
taş yüzey
- 42 densite poliüretan dolgu
- Merkezi 14 lü kilit sistemi

OPTIONAL

- Tuana & Aluminium or
Wooden frame coating
can be done
- Inside door frame decorative
eloxal aluminium profile

DOOR FRAME

- It is made from 2 mm
galvanized steel
- Frame can be adjusted to
18 cm - 24 cm wall thickness
- Over 24 cm holds special
manufacturing

GLASS

- 6+18+6 Tempered double
glazing

- Chrome or aluminium
quadratic door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by
special anodized aluminium

ALUMINYUM KASA KANAT DETAYI

Aluminum Casing & Wing Details



Wooden, Quartz, Glass ve
Pierre seri kanat profil kesiti



Elit seri kanat profil kesiti



UV, HG, Safir, Klasik ve Silver
seri kanat profil kesiti



Dış cepheye dayanıklıdır.
Durable for exterior facade.



Tuana Kasa Kaplama Montaj Sistemi



Gizli Emniyet Kepelepçesi



Parmak izi tanıma
Tak-Taklı Dürbünlü
sistemi



Dayanıklı Zırh
Geniş Açılı Lüks Dürbünlü



Eko Kol



Silver Kol



Merkezi
Kilit sistemi



Kanca
Kilit Sistemi



 falezçelikkapi®

**BAKIRÇILAR ÇELİKKAPI
ALÜ. MOB. MAD. MER. İNS. TİC. ve SAN. LTD. STİ.**

Genel Müdürlük & Fabrika / Head Office & Factory

Organize Sanayi Yolu Odabası Köyü ANTALYA

Tel: +90.242.424.83.27 - 28 pbx Fax: +90.242.424.83.

4441694

Ürün gizliliği ile teknoloji kullanıcıları hazırlanmaktadır. Çalışta da also, bıskudan veya ekran kalitesinden kaynaklanan görünüm ve tipografi hataları gözlemlenmiştir. Müşterilerin bu hissu ile ilgili anlaşmazlığı neden eder. Fakat Çekileklerin gerekliğinde teknolojide ya da web sitesinde yorumda bir kop modellemeye ve görsellemeye de gerek yoktur. Yapılmış herhangi bir teknik tutar.