




it is time for perfection...



outdoor indoor
security door
style of

2021

www.falezcelikkapi.com



Analizle devam eden an-ge çalışmaları ile, otomasyonlu üretim yapan, ihtiyaç olan malzeme parçaları da kendi üretimi ve kullanan ilk ve tek firma olma özelliğine sahiptir. Bu eşiz hizmet kalitesi ile üretilen, yüksek güvencili ürün özelliklerine sahip, uzun yıllar sonucu elusmus haki bir marka biiirliğine sahiptir.

İnsanlar değerdil prenobil ile yola çıkan Falez Çekşak, hizmete eğımleri ile yönetim ve üretim departman personellerinin bilgi ve becerilerini artırmayı görev edinmiştir. Bunun sonucu olarak iş bilinci yüksek, verimli ekibi ile bir kan kalite ve yapışmazlık geliştirmektedir. Sektöründeki tecrübesiyle, emin adımlar ile ilerlemek ve sektörün gelişmesinde lokomotif görevini üstlenmektedir.

Saygılarımızla
Falez Çelikkapı Yönetim Kurulu

[illegible]

- 1 Çelik kapının kanat ve kasa bölümünün özellikleri nelerdir ? Görsel MDF ve benzeri parçalar olmadan kapıyı veya kesidini görebilir miyim?
- 2 Çelikkapının yapımında kullanılan malzemelerin özelliği, kalınlığı ve dayanımını öğrenebilir miyim?
- 3 Hırsızlık ve dayanımı için çelikkapının ne tür önlemleri ve özellikleri olduğunu öğrenebilir miyim?

Tüm Sorularımızda Güvenli & Üzerine Otan Üstünlüklerimiz ve Bazı Hırsızlık Yöntemleri

[illegible]

- How much does this door weigh?**
This is the first question we ask usually when we buy steel doors, but it is a wrong question. Because the weight of the door consists usually of wooden and metal surfaces mounted on both sides of the door. Since these materials are used for decorative purposes and don't relate to the safety and robustness, it is only a certain load. In fact, it should be asked whether remaining steel construction and technique would have a steel door feature when decorative surfaces are removed.
- Can it open this door?**
This question is also asked very often, that leaves the dealer in a difficult situation. You must keep in mind that no dealer can tell a steel door which he says that a steel can open it. For this question, we recommend that you read the following text and technical section.
- What is the thickness of the door leaf?**
Steel doors are all made of 5-6 mm thick steel. In fact, the structure can't carry a door made of steel with full the leaves. This question is misleading and the real question is how the door is made of.

What is the technical specification of the door leaf and frame? Can I see the door or the cross section without MDF and similar decorative parts? 1

Can you tell properties, the thickness and strength of the materials used in the construction of the steel door? 2

Can you tell anti-theft measures, strength and properties of the steel door? 3

For security, theft, robustness, it should be asked the construction and technical characteristics of the door. We recommend that you read the following safety specifications and technical characteristics below. In all our series, security advantages and anti-theft measures

IF YOU CARE ABOUT LIFE SECURITY OF YOU AND YOUR FAMILY IN ADDITION TO SECURITY OF YOUR PROPERTY
Please check the licensed life security door designed by Faliz Ciliklapp as a first in the world. This door has been produced for protecting life security of you and your family in addition to the security of property of you and your family. Researches show that burglaries generally occur while you are outside the house. What is suffered here may be either pecuniary loss or intangible damages. Our life security door protects you when you are home. As you are watching the news recently you obviously see that ratio of extortion cases is gradually rising especially in metropolitan cities. Malignous people are able to get your door opened with any excuse. A number of scenarios may be generated for this, being the "seller" may be the most common. They may monitor the financial status in the house or number of people living in concerning house. Even if we have the safest door, as we slightly open the door being well-intentioned, they may get inside the house being already prepared. Then, our house where is our safest private place may become the place of least security. That is because even if a person intends to do harm to a part in a field outside, they may hold off being afraid to be seen by others who they have not noticed. Yet, if a house is a closed box, your life may depend under threat in a wink. The life security door that we have designed for avoiding such problems has a feature of splitting in two parts when desired while appearing as one single door leaf. Therefore; when a seller or someone you do not know knocks your door, you may talk to or exchange things with him without opening your door fully.

We recommend you to watch the commercial film on our web site for more information and checking it out

Our company, with continuous R & D efforts, is the first and only company with automated production process, producing and using its own machinery. So it has the high brand recognition as a result of many years work, with a unique quality of service, high security product features. Falez Çelik Kapi set out with the principle "our people are valuable", and is committed to increasing the knowledge and skills of its management and production department staff with in-service training. As a result, an efficient staff with high business awareness develops the quality and range of products. Falez Çelik Kapi, with its experience in steel door sector, is advancing with sure steps and act as an engine in the development of the sector.

The most basic principle that put us today in a leading position is sticking to our values and the adoption of principle of honesty. Our goal is to grow together with our employees, dealers, and customers, who are contributing to our success, and to continue to give the best service.

Sincerely
Falez Çelikkapı Executive Board

PIVOT



PVT 102
Pivot Seri
DB 90
Mostar Kalın Altın Meşe | Mostar Line Wood

PVT 104
Pivot Serisi
Pivot Doğal Ağaç | Pivot Wooden



PVT 103
Pivot Serisi
Pivot Cam | Pivot Glass



DB - 90
Kalın Altın Meşe
Line Wood

DB - 91
İnce Altın Meşe
Fine Wood

DB - 93
Tik
Teak

DB - 94
Açık Altın Meşe
Kiefer Line Wood



DB - 98
Koyu Abanoz
Dark Ebony



DB - 99
Açık Abanoz
Light Ebony



DB - 86
Antik Bambu
Antique Bamboo



DB - 95
İnce Ceviz
Nussbaum

Pivot Serisi

KASA
- 2 mm galvaniz çelik

KANAT
- 1,2 mm X 2 yekpare galvaniz çelik
- Dış ortam koşullarına dayanıklı yüzey
- 70 kg/m³ yoğunluklu taş yünü dolgu
- Monoblok kilit sistemi
- 180 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Özel pivot menteşe

Pivot Serisi

DOOR FRAME
- It is made from 2 mm galvanized steel

DOOR LEAF
- It is made from 1,2 mm two monolith plates galvanized steel
- Special coating over front steel leaf
- Inside door leaf is filled by 70 kg/m³ density rockwool
- Monoblock locking system
- Chromium or Aluminium quadratic 180 cm door handle
- Special pivot hinges
- Around door leaf is designed by special anodized aluminium



Dış Cephe İçin Uygunur
Güneşe Dayanır
Suitable for
Exterior Facade



Pivot Menteşe
Pivot Hinge



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Eğilmeye Dayanır
5 Ton
Suitable for Exterior
Moisture Resistant



Dayanıklı Ön Zırh
Durable Shield



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco-Friendly



E60, El.45
E60, El.45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To scratching

PIVOT

PVT 105

Pivot Serisi
Seramik Mokka
Ceramic Mocha



PVT 105

Pivot Serisi
Seramik Metalik Kızıl
Ceramic Metallic Red



- | | | | | | | | | | | |
|---|---|--|--|---|--|--|--|--|---|--|
| 
Dış Cephe İçin Uygundur
Güneşe Dayanır
Suitable for
Exterior Facade | 
Pivot Menteşe
Pivot Hinge | 
Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne | 
Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne | 
Eğilmeye Dayanır
5 Ton
Suitable for Exterior
Moisture Resistant | 
Dayanıklı Ön Zırh
Durable Shield | 
Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation | 
Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Heat
Resistance Isolation | 
Çevre Dostu
Eco-Friendly | 
E60, El 45
E60, El 45 | 
Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To scratching |
|---|---|--|--|---|--|--|--|--|---|--|



PR 102
Pierre Serisi
Piano Antrasit - Cam - Taş - DB 94 Açık Altın Meşe
Piano Antrasit - Glass - Stone - DB 94 Kiefer Line Wood



PR 101
Pierre Serisi
Piano Antrasit - Tütün
Piano Anthracite - Tobacco

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Dış ortam koşullarına dayanıklı taş yüzey
- 42 densite poliüretan dolgu
- Merkezi 14'ü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 50 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME


- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cmm holds special manufacturing
- inside frame has decorative eloxal aluminium profile

OPTIONAL

- Electrostatic powder paint

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special natural stone coating over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or Aluminium quadratic 50 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



CERAMIC



CRM 101

Seramik Serisi
Metalik Kızıl
Metallic Red

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı seramik yüzey
- 42 densite poliüretan dolgu
- 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- inside frame has decorative eloxal aluminium profile

OPTIONAL

- Electrostatic powder paint


DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Ceramic stone coating suitable for exterior surface on steel
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



CRM 102

Seramik Serisi
Mokka
Mocha



WOODEN



WDN 100

Wooden Serisi
Noble Doğal Ağaç
Noble Natural Wood

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri 8 mm masif dişbudak yüzey
- 42 densite poliüretan dolgu
- 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum elektrostatik boyalı kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- inside frame has decorative eloxal aluminium profile

OPTIONAL


- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- 8 mm natural wooden surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium electro static painted door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

* Thermowood® Ürünü her iki yılda bir koruyucu olarak su bazlı vernik ile bakımı yapılır. Bu işlem ilk olarak fabrikamızda uygulanır.

* The product of Thermowood® is preserved every 2 years with a water based varnish as a preservative. This process is applied in our factory.



WOODEN

WDN 101

Wooden Serisi
Marin
Marine

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri su kontrastı yüzey, krom ve cam detay
- 42 densite poliüretan dolgu
- 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Water-contrast wooden surface over front steel leaf with chrome and glass detail.
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Dış Cephe İçin Uygun
Güneş Dayanır
Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
Theprovides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI45
E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

DELUX GLASS

DLX 100
DELUX Serisi
Ultra
Ultra

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Kanadın her iki tarafında çelik üzeri 6 mm temperli dekoratif cam yüzey / 42 densite poliüretan dolgu
- Merkezi 14'lü kilit sistemi / 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi / 120 cm Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done


DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface on both side of steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system / 6 pieces stable safety pin
- Hidden safety clips / 120 cm Chromium or aluminium door handle
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

Cam Tipi | Glass Type



TPE
Tarafından
Patentlenmiştir



- 6 mm Temperli Cam
6 mm Tempered Glass Surface
- 1,2 mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel
- 42 Densite Poliüretan Dolgu
Filled by 42 Density Polyurethane
- 1,2 mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel
- Kanat Etrafı Özel Eloksallı Alüminyum Çıta
Around Door Leaf is Designed by Special Anodized Aluminium
- Boya ile Oluşturulmuş Çerçeve Detayı
Generated With Paint Window Frame Detail
- Boya ile Oluşturulmuş Fuga Detayı
Generated With Paint Fuga Detail
- Işık Geçirgen Temperli Cam
Light Permeable Tempered Glass



Darbeye Dayanır
40 Ton



Eğilmeye Dayanır
5 Ton



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable Front Armor



Ayarlı Menteşe
Adjustable Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Heat Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI:45
E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance To Scratching

DELUX GLASS

DLX 101
DELUX Serisi
Milenyum
Millennium

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Kanadın her iki tarafında çelik üzeri 6 mm temperli dekoratif cam yüzey / 42 densite poliüretan dolgu
- Merkezi 14'lü kilit sistemi / 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi / Krom çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Kaynaksız ayarlı menteşe

DOOR FRAME


- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface on both side of steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system / 6 pieces stable safety pin
- Hidden safety clips / Chromium door handle
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Cam Tipi | Glass Type



TPE
Taraflardan
Patentlenmiştir



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI-45
E60, EI2 45



Cizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching

GLASS

GLS 101

Glass Serisi

Piano Milano Ceviz

Piano Milano Walnut

KASA

- 2 mm galvaniz çelik - 18 ve 24 cm duvar kalınlığı - 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yeğpare galvaniz çelik - Özel fugalı cam yüzey - Kapı orta kısmı extra 1 mm çelik PVC Kaplamalı dekoratif panel - 42 densite poliüretan dolgu - Merkezi 14'lü kilit sistemi - 6 adet sabit emniyet pimi - Gizli emniyet kelepçesi - Krom yada alüminyum kare kol - Kanat etrafı dekoratif eloksallı alüminyum çita - Geniş açılı lüks dübün - Kaynaksız ayarlı menteşe

DOOR FRAME


- It is made from 2 mm galvanized steel - Frame can be adjusted to 18 cm - 24 cm wall thickness - Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fuga designed fitted glass surface over front steel leaf middle part of door has extra 1 mm steel PVC lamination decorative pannel - Inside door leaf is filled by 42 density polyurethane - 14 central locking system - 6 pieces stable safety pins - Hidden safety clips
- Chromium or aluminium quadratic door handle - Luxury peephole
- Weldless adjustable hinges - Around door leaf is designed by special anodized aluminium



Dış Cephe İçin Uygundur
Güneşe Dayanır

Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton

Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton

Flexure Endurance
5 Tonne



Neme Dayanıklıdır

Resistant To Moisture



Dayanıklı Ön Zırh

Durable
Front Armor



Ayarlı Menteşe

Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı

Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı

Special Structure
Provides Heat
Resistance Isolation



Çevre Dostu

Eco - Friendly



E60, EI:45

E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey

Surface Resistance
To Scratching

GLASS

GLS 107

Glass Serisi
Cross Bronz
Cross Bronze

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri 6 mm temperli dekoratif cam yüzey
- 42 densite poliüretan dolgu
- Merkezi 14'ü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dübün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative designed 6mm tempered glass fitted surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium quadrate 120 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Dış Cephe İçin Uygundur
Güneşe Dayanır

Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton

Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton

Flexure Endurance
5 Tonne



Neme Dayanıklıdır

Resistant To Moisture



Dayanıklı Ön Zırh

Durable
Front Armor



Ayarlı Menteşe

Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı

Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı

Special Structure
Provides Heat
Resistance Isolation



Çevre Dostu

Eco - Friendly



E60, EI45

E60, EI245



Çizilmeye Karşı
Dayanıklı Yüzey

Surface Resistance
To Scratching

GLS 110
Glass Serisi
Glass Semi Antrasit Beyaz
Glass Semi Anthracite White

KASA
- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL
- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT
- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri 6 mm temperli dekoratif cam yüzey ve ahşap detay
- 42 densite poliüretan dolgu
- Merkezi 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME
- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL
- Aluminium & Wooden frame coating can be done

DOOR LEAF
- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface and wooden detail over front steel leaf
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium quadratic 120 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI-45
E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

GLASS

GLS 104

Glass Serisi

İstanbul Cam Beyaz
İstanbul White Glass

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri 6 mm temperli dekoratif cam yüzey
- 42 densite poliüretan dolgu
- Merkezi 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



GLS 108

Glass Serisi

Eva Açık Ceviz - Beyaz
Eva Light Walnut - White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri 6 mm temperli dekoratif cam yüzey ve ahşap detay
- 42 densite poliüretan dolgu
- Merkezi 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Decorative fitted 6 mm tempered glass surface and wooden detail over front steel leaf
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium quadratic 120 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



GLS 109

Glass Serisi

Eva Beyaz - Açık Ceviz / Eva White - Light Walnut



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI:45
E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

NEOCLASSIC GLASS



NCG 103

Neoclassic Glass Seri
Roma Glass Antrasit
Roma Glass Anthracite

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSIYONEL

-Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Special Chromium door handle
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Dış Cephe İçin Uygundur
Güneşe Dayanır
Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching


NEOCLASSIC GLASS



- 1 Alüminyum kasa pervaz kaplama
Aluminum Frame Trim
- 2 Alüminyum orta, kasa pervaz kaplama
Aluminum Center Frame Cover,
- 3 2 mm galvaniz çelik, elektrostatik toz boya
2 mm galvanized steel electrostatic powder paint
- 4 Alüminyum iç kasa
Aluminum inner case,
- 5 Fiberglass yüzey
Fiber glass surface
- 6 1,2 mm yekpare galvaniz çelik
1,2 mm solid galvanized steel
- 7 42 Densite poliüretan dolgu
42 Density polyurethane filler
- 8 1,2 milimetre yekpare galvaniz çelik
1,2 mm Solid galvanized steel
- 9 Fiberglass yüzey
Fiber glass surface
- 10 İzolasyon fitili
Insulation Gasket
- 11 Kanat etrafı eloksal alüminyum çıta
Anodized Aluminum Profile Around the Door Leaf



NCG 104
Neoclassic Glass Seri
Roma Glass RAL 8017 Eskitme
RomaGlass RAL 8017 Retro



NCG 105 Double
Neoclassic Seri
Roma Glass RAL 8017 Ceviz
Roma Glass RAL 8017 Walnut

NEOCLASSIC



NCS 101

Neoclassic Seri
Napoli Antrasit
Napoli Anthracite

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel krom çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile


OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface above steel suitable for exterior
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Special chromium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium


Renk Seçenekleri / Color Options



Siyah
Black



Antrasit Gri
Anthracite Grey



Beyaz
White



Ceviz
Walnut



Kırmızı
Red

NEOCLASSIC



NCS 102
Neoclassic Seri
Floransa Siyah
Floransa Black




Renk Seçenekleri / Color Options



Siyah
Black



Antrasit Gri
Anthracite Grey




Beyaz
White



Ceviz
Walnut



Kırmızı
Red



NEOCLASSIC



NCS 101

Neoclassic Seri

Napoli Beyaz

Napoli White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel krom çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface above steel suitable for exterior
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Special Chromium door handle
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

Renk Seçenekleri / Color Options



Dış Cephe İçin Uygundur
Güneşe Dayanır
Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, E12 45




Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching



Siyah
Black



Antrasit Gri
Anthracite Grey



Beyaz
White



Ceviz
Walnut



Kırmızı
Red

NEOCLASSIC



Roma 103
Neoclassic Seri
Roma Beyaz
Roma White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel krom çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface above steel suitable for exterior
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Special chromium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

Roma 104
Neoclassic Seri
Roma Ceviz
Roma Walnut

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel fiber yüzey
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel Krom çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special fiber surface above steel suitable for exterior
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Special chromium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium




Renk Seçenekleri / Color Options



Siyah
Black



Antrastit Gri
Anthracite Grey



Beyaz
White



Ceviz
Walnut



Kırmızı
Red



Dış Cephe İçin Uygundur
Suitable For Exterior Facade



Darbeye Dayanır
Impact Resistant 40 Tonne



Eğilmeye Dayanır
Flexure Endurance 5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable Front Armor



Ayarlı Menteşe
Adjustable Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Heat Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance To Scratching

ELEGANCE

ELG 113
Elegance Seri
Açık Emperador
Empredor Light



Darbeye Dayanır
40 Ton



Eğilmeye Dayanır
5 Ton



Neme Dayanıklıdır



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı



Isı İzolasyonu
Sağlayan Özel Yapı



Çevre Dostu
Eco - Friendly



E60, EI-45
E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey

ELG 126
Elegance Seri
Karera
Carrera



Elegance Seri

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış cepheye dayanıklı özel waterproof yüzey
- 42 densite poliüretan dolgu
- Merkezi 14'ü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe



ELG 108
Elegance Seri
Emperador Dark
Empredor Dark



DOOR FRAME


- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special waterproof surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



QRZ 118

Quartz Serisi

Eva Açık Ceviz - Siyah

Eva Light Walnut - Black

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksalı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel tasarım MDF ve Cam yüzey
- 42 densite poliüretan dolgu
- 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksalı alüminyum çita
- Kanat Üzeri özel HG MDF yüzey
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
- 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling MDF fitted over front steel leaf
- Special HG laminated surface
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton

Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton

Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh

Durable
Front Armor



Ayarlı Menteşe

Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı

Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı

Special Structure
That provides Heat
Resistance Isolation



Çevre Dostu

Eco - Friendly



E60, EI 45

E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey

Surface Resistance
To Scratching



QRZ 120

Quartz Serisi

Çamlıca Antrasit Gri

Chamlica Anthracite Grey

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri MDF yüzey
- 42 densite poliüretan dolgu
- Alüminyum dekoratif çıta
- 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special MDF surface over steel leaf
- Aluminum decorative lath
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton



Eğilmeye Dayanır
5 Tonne



Dayanıklı Ön Zırh



Ayarlı Menteşe



Ses İzolasyonu Sağlayan Özel Yapı



Isı İzolasyonu Sağlayan Özel Yapı



Çevre Dostu



E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey

QUARTZ



QRZ 102
Quartz Serisi
Lines Beyaz
Lines White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri MDF yüzey
- 42 densite poliüretan dolgu
- Alüminyum dekoratif çita
- 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special MDF surface over steel leaf
- Aluminum decorative lath
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

QRZ 103
Quartz Serisi
Mostar Milano Ceviz - HG Siyah
Mostar Milano Walnut - HG Black



QRZ 108
Quartz Serisi
Mostar Milano Ceviz - HG Beyaz
Mostar Milano Walnut - HG White



TPE
Tarafından
Patentlenmiştir



Darbeye Dayanır
40 Ton



Eğilmeye Dayanır
5 Tonne



Dayanıklı Ön Zırh
Durable Front Armor



Ayarlı Menteşe
Adjustable Hinge



Ses İzolasyonu
Special Structure That Provides Sound Insulation



Isı İzolasyonu
Special Structure Provides Heat Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, El.45
E60, El2 45



Cizilmeye Karşı Dayanıklı Yüzey
Surface Resistance To Scratching



QRZ 114

Quartz Serisi
Padişah 7016 Antrasit Gri
Sultan 7016 Anthracite Grey

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap
- kasa kaplama seçeneği

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modellenmiş doğal kaplama MDF yüzey
- 42 densite poliüretan dolgu
- 14'lü kilit sistemi
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel krom çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

QRZ 113

Quartz Serisi
Hanedan Modern Ceviz
Dynasty Modern Walnut



QRZ 112

Quartz Serisi
Padişah Lake Beyaz PVC
Sultan White PVC



DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Aluminium & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special embossed laminated wooden surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Special chromium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzasyonu Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI:45
E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching

ASYMMETRIC



FLZ 116
Asimetrik Seri
Semi - Edi
Semi - Edi

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

Ahşap & Kompozit kasa kaplama seçeneği

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel modellenli MDF yüzey
- 42 densite poliüretan dolgu
- Kanca kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL

- Composite & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling natural MDF coating over steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Inside frame has decorative eloxal aluminium profile
- Around the door leaf is designed by special anodized aluminium

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

Ahşap & Kompozit kasa kaplama seçeneği

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel modellenli cam yüzey
- 42 densite poliüretan dolgu
- Kanca kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL

- Composite & Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling natural glass coating over steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Inside frame has decorative eloxal aluminium profile
- Around the door leaf is designed by special anodized aluminium



FLZ 118
Asimetrik Seri
Mostar - Cam
Mostar - Glass



FLZ 117
Asimetrik Seri
Semi Model
Semi Model



FLZ 119
Asimetrik Seri
Semi Cam
Semi Glass



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI 45
E60, EI 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Kasa içi dekoratif eloksallı alüminyum profil

OPSIYONEL

- Alüminyum & Ahsap kasa kaplama seçeneği

CAM

- 6+70+6 ısı geçirgen cam.

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış hava şartlarına uygun kompozit yüzey
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit
- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside frame has decorative eloxal aluminium profile

OPTIONAL

- Wooden or aluminium frame coating can be done

GLASS

- 6+70+6 Light permeable tempered glass

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special composite surface resistant to external front over steel
- Inside door leaf is filled by 42 density polyurethane
- 14 Central locking system
- 6 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Dış Cephe İçin Uygundur
Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI:45
E60, EI2 45




Çizilmeye Karşı
Dayanıklılık Yüzey
Surface Resistance
To Scratching



TRM 101
Thermomax Seri
Paris - Beyaz
Paris - White


- | | | |
|---|--|--|
| 1 1,2 mm X 2 Yekpare Galvaniz Çelik
It Is Made From 1,2 Mm Two
Monolith Plates Galvanized Steel | 5 İzolasyon Filiti
Insulation Cord | 10 Alüminyum Çekme Kol
Aluminum Pull Handle |
| 2 42 Densite Poliüretan Dolgu
Inside Door Leaf Is Filled
By 42 Density Polyurethane | 6 Sabit Emniyet Pimi
Safety Pin | 11 6+52+6 Işık Geçirgen Cam
6 + 52 + 6 Translucent Glass |
| 3 Standart Elektstatik Toz Boya
2mm Galvaniz Çelik Kasa
It Is Made From 2 Mm Galvanized Steel
With Elektrostatic Powder Paint | 7 Dekoratif
Alüminyum Detay
Decorative
Aluminum Detail | 12 Cam Etrafı Dekoratif
Alüminyum Çita Detayı
Glass Around Decorative
Aluminum Lath Detail |
| 4 Çelik Üzeri Dış Hava Şartlarına Uygun
Kompozit Yüzey
Suitable For Outdoor Weather Conditions
On Steel Composite Surface | 8 Cam Üzeri Boya Detay
Paint On Glass Detail | 13 Kasa İçi Taşyünü Dolgu
Rock Wool Filling Inside
The Frame |
| | 9 Dayanıklı Ön Zırh
Datanized Front Armor | 14 Kanat Etrafı Dekoratif Eloksoallı
Alüminyum Çita
Around Door Leaf Is Designed
By Special Anodized Aluminium |



Kesit Görünüş / Section view



TRM 101
Thermomax Seri
Paris - Antrasit Gri
Paris - Anthracite Grey



Cam Tipi | Glass Type



PR 100

Prestij Serisi

Mostar DB 93 / DB 20

Tık / Beyaz

Teak / White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart elektrostatik toz boya

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Çelik üzeri dış hava şartlarına uygun Kompozit yüzey
- 42 densite poliüretan dolgu
- Kanca kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Wooden or aluminium frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special composite surface resistant to external front over steel
- Inside door leaf is filling by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chromium or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Dış Cephe İçin Uygundur
Güneşe Dayanır
Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, E1, 45
E60, E12 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

PRESTIJ



PR 113
Prestij Serisi
Zen DB 99 / DB Siyah
Zen Açık Abanoz / Siyah
Zen Light Ebony / Black



PR 111
Prestij Serisi
Semi DB 94 / DB13
Açık Altın Meşe / Grafit Gri
Light Gold Oak / Graphite Grey

PR 112
Prestij Serisi
Zen DB 90 / DB 13
Zen İnce Altın Meşe / Grafit Gri
Zen Fine Gold Oak / Graphite Grey



PR 110
Prestij Serisi
Semi DB 94 / DB 20
Açık Altın Meşe / Beyaz
Light GOLD Oak / White



**Dış Cephe İçin Uygundur
Güneşe Dayanır**
Suitable For
Exterior Facade



**Darbeye Dayanır
40 Ton**
Impact Resistant
40 Tonne



**Eğilmeye Dayanır
5 Ton**
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Mentеше
Adjustable
Hinge



**Ses İzolasyonu
Sağlayan Özel Yapı**
Special Structure That
Provides Sound Insulation



**Isı İzolasyonu
Sağlayan Özel Yapı**
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI2 45



**Çizilmeye Karşı
Dayanıklı Yüzey**
Surface Resistance
To Scratching



1,2 mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

42 Densite Poliüretan Dolgu
Filled by 42 Density Polyurethane

1,2 mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

Dış Tarafı Özel Modelli MDF Yüzey
Outside Special Modeling MDF Surface

Kanat Etrafı Özel Eloksallı Alüminyum Çıta
Around Door Leaf is Designed by Special Anodized Aluminum



ELT 105
Elit Serisi
Semi Fugalı Tütün
Semi Fuga Tobacco

KASA
- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL
- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT
- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modellenli MDF yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Özel tasarım ahşap kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME
- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL
- Tuana & Wooden Frame coating can be done

- Inside door frame can be done decorative aluminium eloxal profile

DOOR LEAF
- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling MDF coating over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Special designed wooden door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI:45
E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching

ELT 110

Elit Serisi

verox

verox



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri doğal ahşap görünümlü laminant yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum elektrostatik boyalı çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative aluminium eloxal profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- The natural similar wood finish on the steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium electrostatic painted pull handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

ELT 106

Elit Serisi

Semi Antrasit Fugalı Tütün

Anthracite Fuga Tobacco



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri doğal ahşap görünümlü laminant yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative aluminium eloxal profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- The natural similar wood finish on the steel surface
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure
That provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI-45
E60, EI2 45



Cizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching



ELT 102
Elit Serisi
Zen HG Tütün Siyah
Zen Tobacco Black

ELT 101
Elit Serisi
Zen Tütün
Zen Tobacco



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel Parçalı MDF yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- Dekoratif Alüminyum çıta detayı
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 50 cm krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

* MDF üzeri HG PVC lamine kaplama (ELT 102)

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative aluminium eloxal profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special pieced modelling MDF surface over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Decorative Aluminum lath detail
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 50cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

* MDF with HG PVC lamination coating (ELT 102)



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, E12 45
E60, E12 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching



ELT 103
Elit Serisi
Semi Wood Tütün
Semi Wood Tobacco

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yeypare galvaniz çelik
- Çelik üzeri özel modelli MDF yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden Frame coating can be done
- Inside door frame can be done decorative aluminium eloxal profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling MDF coating over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

ELT 104
Elit Serisi
Semi Wood Modern ceviz
Semi Wood Modern Walnut

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yeypare galvaniz çelik
- Çelik üzeri özel modelli MDF yüzey
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- 120 cm krom yada alüminyum kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden Frame coating can be done
- Inside door frame can be done decorative aluminium eloxal profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special modelling MDF coating over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle (120 cm)
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI2 45
E60, EI2 45




Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

SUNNY UV GLASS



SNY UV 101
Sunny UV Glass Serisi
Sara UV Kum Gri
Sara UV Grey Sand



Sunny UV Glass serisi tek kanat ve Çift kanat olarak üretilmektedir. Kilit özelliği Kanat tipine göre farklılık göstermektedir.
(*)Tek kanat da kanca kilit sistemi ve Gizli Emniyet Kelepçesi Kullanılır.
(**) Çift kanat da Monoblok Kilit sistemi kullanılır. G.E.K. KULLANILAMAZ

Sunny UV Glass serie can be manufactured as single leaf and double leaf. Lock specifications will be different according to leaf type.
(*)On single leaf locking system, hook locking system and hidden safety clip is used.
(**)On double leaf locking system, monoblok locking system is used. Hidden safety clip is not used.



Glass Type
Sunny UV Glass Serisi
-Işık geçiren temperli ışık reflekte cam
-Light permeable tempered reflective Glass



Sunny UV Glass Serisi
-Işık geçiren temperli cam
-Light permeable tempered reflective Glass



SNY UV 101
Sunny UV Glass Serisi
Sara UV Beyaz
Sara UV White



SNY UV 101
Sunny UV Glass Serisi
Sara UV Altın Meşe
Sara UV Golden Oak

SNY UV 101
Sunny UV Glass Serisi
Sara UV Antrasit
Sara UV Anthracite

KASA
- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart elektrostatik toz boya

OPSİYONEL
- Alüminyum ve Tuana kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum seçeneği

KANAT
- 1,2 mm X 2 yekpare galvaniz çelik
- Işık geçiren temperli PVC lamine yüzey ve krom detay ile yansıtıcı cam
- 42 densite poliüretan dolgu
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi(*)
- Kanca kilit sistemi(*)
- Geniş açılı Lûx dürbün
- Krom yada Alüminyum çekme kol
- Kanat etrafı dekoratif eloksallı alüminyum çita

CAM
- 6+52+6 Reflekte ışık geçiren cam.

DOOR FRAME
- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL
-Aluminium frame coating and Tuana coating can be done

-Inside frame has decorative eloxal aluminium profile can be done

DOOR LEAF
- It is made from 1,2 mm two monolith plates galvanized steel
- Special PVC laminated surface with chrome detail and transparent glass
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

GLASS
- 6+52+6 Light permeable tempered reflective glass



Dış Cephe İçin Uygundur
Güneşe Dayanır
Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
5 Ton
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
Thatprovides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI:45
E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

SUNNY UV GLASS



SNY UV 103
Sunny UV Glass Serisi
Diana Double
Diana UV Antrasit
Diana UV Anthracite



SNY UV 103
Sunny UV Glass Serisi
Diana
UV Antrasit
UV Anthracite

- | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |  |
| Dış Cephe İçin Uygundur
Güneşe Dayanır | Darbeye Dayanır
40 Ton | Eğilmeye Dayanır
5 Ton | Neme Dayanıklıdır | Dayanıklı Ön Zırh | Ayarlı Mentеше | Ses İzolasyonu
Sağlayan Özel Yapı | Isı İzolasyonu
Sağlayan Özel Yapı | Çevre Dostu | E60, E145 | Cızılmaya Karşı
Dayanıklı Yüzey |
| Suitable For
Exterior Facade | Impact Resistant
40 Tonne | Flexure Endurance
5 Tonne | Resistant To Moisture | Durable
Front Armor | Adjustable
Hinge | Special Structure That
Provides Sound Insulation | Special Structure That
Provides Heat
Resistance Isolation | Eco - Friendly | E60, E1245 | Surface Resistance
To Scratching |



1,2 mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

42 Densite Poliüretan Dolgu
Filled by 42 Density Polyurethane

1,2 mm Yekpare Galvaniz Çelik
1,2 mm Monolith Plates Galvanized Steel

UV Korumalı Özel Lamine Yüzey
Special UV Protected Laminated Surface

Kanat Etrafı Özel Eloksallı Alüminyum Çita
Around Door Leaf is Designed by Special Anodized Aluminum



UV 101

UV Serisi

Akik UV Koyu Meşe
Akik UV Dark Oak

KASA

- 2mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri opsiyonel
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil çita seçeneği

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel UV korumalı lamine yüzey (Patentli sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüx boru dürbün
- 3 adet sabit emniyet pimi
- Gizli Emniyet Kelepçesi
- Krom yada Alüminyum 70 cm boru kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOORFRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL

- Tuana & Wooden frame coating can be done optional
- Inside the doorframe decorative aluminium coating is made

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special UV protected laminated surface over steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is made 42 density polyurethane filling
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm pipe door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by Special anodized aluminium

OPTIONAL

- 8 mm Laminated MDF Front surface can be done



TPE
Tarafından
Patentlenmiştir



Dış Cephe İçin Uygun Durum
Suitable For Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable Front Armor



Ayarlı Menteşe
Adjustable Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Heat Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI:45
E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance To Scratching

UV



UV 102
UV Serisi
Akik UV Altın Meşe
Akik UV Golden Oak

KASA

- 2 mm galvaniz çelik
- 18 -24- cm duvar kalınlığı
- 24 cm üzeri opsiyonel
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi eloksallı dekoratif alüminyum profil

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel UV korumalı lamine yüzey (Patentli özel sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüx boru dürbün
- 3 adet sabit emniyet pimi
- Gizli Emniyet Kelepçesi
- Krom yada alüminyum 70 cm boru kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

UV 103

UV Serisi
Akik UV Antrasit
Akik UV Anthracite

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL

- Tuana & Wooden frame coating can be done optional.
- Inside the doorframe decorative aluminium coating is made

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- special UV protected laminated surface over steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is made 42 density polyurethane filling
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm pipe door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by Special anodized aluminium
- (Optional) 8mm special MDF
- Front surface can be done



SN 508
UV Antrasit Gri
UV Anthracite
Grey



ST 501
UV Koyu Meşe
UV Dark Oak



ST 510
UV Siyah
UV Black



ST 517
UV Beyaz
UV White



ST 500
UV Altın Meşe
UV Golden Oak



Dış Cephe İçin Uygundur
Güneşe Dayanır
Suitable For
Exterior Facade



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, E1, 45
E60, E1, 45



Cizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching


UV VL 105
Düz UV Koyu Meşe | Flat Dark Oak



UV DBL 104
Düz UV Koyu Meşe Camlı Kasa
Flat UV Dark Oak Glass Frame

UV DBL 103
Düz UV Koyu Meşe Kasa
Flat UV Dark Oak Glass Frame

UV VL 101
Düz UV Koyu Meşe
Flat Dark Oak



TEK KANATLI KAPI ÖZELLİKLERİ SINGLE LEAF DOOR FEATURES

KASA

- 2 mm galvaniz çelik
- 18-24- cm duvar kalınlığı
- 24cm üzeri özel imalat
- Elektrostatik toz boya

CAM

- 6+18+6 Temperli boyalı vitray
- clear ısıcam

OPSİYONEL

- Tuana, Ahşap yada Elokısalı alüminyum kasa kaplama seçeneği
- Kasa içi dekoratif elokısalı alüminyum profil seçeneği

KANAT

- 1,2 mm x 2 yekpare galvaniz çelik
- Çelik üzeri özel UV korumalı lamine yüzey (patentli sistem)
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi,
- Geniş açılı lüx boru dürbün
- 3 adet sabit emniyet pimi
- Krom yada alüminyum kol
- Kanat etrafı dekoratif elokısalı alüminyum çıta Kaynaksız ayarlı menteşe 30 mm lamine temperli ısı cam

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to
- 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

Glass

- 6+18+6 tempered painted stained clear double glazing

OPTIONAL

- Tuana & Wooden frame coating can be done optinal
- Inside doorframe can be done decorative aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- special laminated UV protected surface over steel leaf (Special patented)
- Inside door leaf is filled 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door Handle
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

UV Kaplamalar benzersiz kreasyonlar ve yaratıcı tasarım çözümleri sunar, Doğadan ilham alan renk ve yüzey seçenekleri sunar.

UV Coatings offer unique creations and creative design solutions It offers color and surface options inspired by nature.

UV Villa serisi tek kanat, çift kanat ve yantaraf sabit camlı olarak üretilebilmektedir. Kilit özelliği Kanat tipine göre farklılık göstermektedir.

(*)Tek kanat ve sabit camlı kapılarda da kanca kilit sistemi ve Gizli Emniyet Kelepçesi Kullanılır.

(**) Çift kanat da Monoblok Kilit sistemi kullanılır.
G.E.K. KULLANILAMAZ

UV Villa serie can be manufactured as single leaf, double leaf and fixed glass. Lock specifications will be difference according to leaf type.

**)On double leaf, locking system Monoblock locking sytem is used.
Hidden safety clip is not used.

(*)On single leaf and fixed glass doors, hook locking system and Hidden safety clip is used.



ST 508
UV Antrasit Gri
UV Anthracite
Grey



ST 501
UV Koyu Meşe
UV Dark Oak



ST 510
UV Siyah
UV Black



ST 517
UV Beyaz
UV White



ST 500
UV Altın Meşe
UV Golden Oak

Exterior / 200 Micron
Dışmekan / 200 Micron

Properties	Methods	Value
Thickness of the Acrylic Layer UV folyo kalınlığı	-----	≥ 50 µ
Thickness [Only for plain films, not embossed] Kalınlık [Sadece düz filmler için]	DIN EN ISO 2286-3, 1998-07	200 µ , ± 8 µ
Colour Tolerances for Plain Films Düz filmler için renk toleransları	DIN 53236 (45/0), 1983-01	ΔE ≤ 0,6 ΔL ≤ 0,35 Δa ≤ 0,30 Δb ≤ +/-0,35
Colour Consistency of Printed Films UV folyo renk tutarlılığı	----	Manufacture and visual assessment with original specimen. Orjinal numune ile üretim tutarlılığı

ELIT SAFIR

SFR 103

Safir Serisi

Lattice Açık Ceviz HG Beyaz
Lattice Light Walnut HG White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel imalat
- Elektrostatik toz boya

OPSİYONEL

- Tuana & Ahşap kasa kaplama seçeneği
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel siyah HG lamine kaplama ve ahşap çıta detayı
- 42 densite poliüretan dolgu
- Kancalı Kilit sistemi
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- HG laminated coating surface and wooden sticks over front steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium



Renk Skalası / Color Options



Siyah / Black



Beyaz / White



SFR 100

Safir Serisi

Karen Siyah Milano Ceviz
Karen Black Milano Walnut



Darbeye Dayanır
40 Ton



Eğilmeye Dayanır
5 Ton



Dayanıklı Ön Zırh
Durable Front Armor



Ayarlı Menteşe
Adjustable Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Heat Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, E1-45
E60, E12 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance To Scratching



GLD 113

Gold Serisi

Akik Soft Touch Fırtına Gri

Akik Soft Touch Storm Grey

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri Soft Touch lamine yüzey ile lakeye dokunuyor hissi veriri (patentli özel sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside door frame can be done decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- It gives the feeling of touching the lacquer with Soft touch laminated surface on steel.
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done



GLD 120

Gold Serisi

Serra

Serra



Darbeye Dayanır
40 Ton

Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton

Flexure Endurance
5 Tonne



Neme Dayanıklıdır

Resistant To Moisture



Dayanıklı Ön Zırh

Durable
Front Armor



Ayarlı Menteşe

Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı

Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı

Special Structure
That provides Heat
Resistance Isolation



Çevre Dostu

Eco - Friendly



E60, EI:45

E60, EI2 45



Cizilmeye Karşı
Dayanıklı Yüzey

Surface Resistance
To Scratching

SILVER



SLV 103

Silver Serisi

Silver Berry Lake Beyaz

Silver Berry Lake White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yeypare galvaniz çelik
- Çelik üzeri özel modelli silver lake beyaz lamine yüzey (patentli özel sistem)
- Özel Yüzey Modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Silver lake white laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching

SILVER



SLV 104

Silver Serisi
Star Beyaz
Star White

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modellenli Silver lamine yüzey (patentli özel sistem)
- Özel Yüzey Modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done

SLV 115

Silver Serisi
Premium Bakır
Premium Cooper



SLV 115

Silver Serisi
Premium Bakır
Premium Cooper

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modellenli Silver lamine yüzey (patentli özel sistem)
- Özel Yüzey Modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 120 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey



DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 120 cm door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, E1, 45
E60, E12 45




Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

SILVER



SLV 105
Silver Serisi
Akik Tütün
Akik Tobacco



Kanat etrafı eloksall alüminyum
Around the door leaf is designed by
special anodized aluminum

1,2 mm galvaniz çelik
1,2 mm galvanized steel

Kanca kilit sistemi
Hook locking system

Özel paslanmaz 70 cm çekme kolu
Special stainless 70 cm cylinder
door handle

Gizli Emniyet pimi
Hidden safety pin

42 densite Poliüretan dolgu
Inside the door leaf is filled by
42 density polyurethane

Kanca kilit sistemi
Hook locking system

Darbelere dayanıklı özel zırh
impact resistant special armor

1,2 mm galvaniz çelik
1,2 mm galvanized steel

Özel İzolasyon fitili
special sealing gasket

Çelik üzeri özel SILVER
lamine yüzey
(Patentli sistem)
Special silver laminated surface
over front steel leaf
(special patented system)

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel silver lamine yüzey
(patentli özel sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame decorative eloxal
aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates
galvanized steel
- Special silver laminated surface over
front steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is filled by 42 density
polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by
special anodized aluminium



TPE
Tarafindan
Patentlenmiştir



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI 45
E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

SILVER



SLV 102
Silver Serisi
Akik Cocco
Akik Cocco



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel modellenli silver lamine yüzey (patentli özel sistem)
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame can be done decorative eloxa aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done

SLV 101
Silver Serisi
Kehribar Modern Ceviz
Kehribar Modern Walnut



Darbeye Dayanır 40 Ton
Impact Resistant 40 Tonne



Eğilmeye Dayanır 5 Ton
Flexure Endurance 5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable Front Armor



Ayarlı Menteşe
Adjustable Hinge



Ses İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Sound Insulation



Isı İzolasyonu Sağlayan Özel Yapı
Special Structure That Provides Heat Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, E145
E60, E12 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance To Scratching

SILVER

SLV 107
Silver Serisi
Kehribar Tütün
Kehribar Tobacco



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel silver lamine yüzey (patentli özel sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 70 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

OPSİYONEL

- 8 mm lamine MDF ön yüzey

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special silver laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Hidden safety clips
- Chrome or aluminium 70 cm cylinder door handle
- Luxury peephole
- Weldless adjustable hinges
- Around the door leaf is designed by special anodized aluminium

OPTIONAL

- 8 mm special MDF front surface can be done

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatic powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame decorative eloxal aluminium profile



TPE
Tarafindan
Patentlenmiştir

SLV 108
Silver Serisi
Akik Beyaz
Akik White



SLV 109
Silver Serisi
Tire Teak
Tire Teak



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI45
E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

CLASSIC



KLS 106
Klasik Serisi
F - Merkury Antrasit Gri
F - Mercury Anthracite Gray



TPE
Taraftan
Patentlenmiştir



KLS 101
Klasik Serisi | H - Jupiter Tütün
H - Jupiter Tobacco



KLS 104
Klasik Serisi | D - Uranüs Beyaz
D - Uranüs White



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana yada Ahşap kasa kaplama opsiyonel
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel lamine yüzey (patentli özel sistem)
- Özel yüzey modelleme sistemi
- 42 densite poliüretan dolgu
- Kancalı kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum 30 cm çekme kolu
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Elektrostatik powder paint

OPTIONAL

- Tuana & Wooden frame coating can be done
- Inside the door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Special laminated surface over front steel leaf (special patented system)
- Front surface modelling system
- Inside the door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin | Hidden safety clips
- Chrome or aluminium 30 cm door handle | Luxury peephole
- Weldless adjustable hinges | Around the door leaf is designed by special anodized aluminium



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklılık
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzasyonu Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzasyonu Sağlayan Özel Yapı
Special Structure That
Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI2 45



Çizilmeye Karşı Dayanıklı Yüzey
Surface Resistance
To Scratching

MONOBLOCK



TEKNİK KAPILAR TECHNICAL DOORS

MNB 101

Monoblok Serisi
Jüpiter Modern Ceviz
Jupiter Modern Walnut



MNB102

Monoblok Serisi
Merkür Teak
Mercury Teak

KASA

- 1,5 mm galvaniz çelik -18-24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

KANAT

- 1,2 mm x2 yekpare galvaniz
- Çelik üzeri lamine yüzey (patentli özel sistem)
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi
- Standart dürbün
- 3 adet sabit emniyet pimi
- Lüks Hilal Kol
- Kanat etrafı parlak eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 1,5 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Electrostatic powder paint

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Laminated Surface over steel leaf (special patented system)
- Inside door leaf is filled by 42 density polyurethane
- Monoblok locking system
- 3 pieces stable safety pin
- Luxury "crescent" door handle
- Standard peephole
- Weldless adjustable hinges
- Around door leaf is designed by satin anodized aluminium



Kapılarımızın sahip olduğu sertifikalar

Certificates of our doors

EI2 90
E180
E 120



TKN 101

Yangın Kapısı
Fire Door
Duble Düz Krem
Double Flat Cream



TKN 102
Şaft Kapağı Tekli Krem
Shaft Cover Single Leaf
Cream
5113.58



TKN 103
Teknik Odası Kapısı
Technical Room Door
Düz Krem - Flat Cream
4313.58



TKN 104
Yangın Kapısı - Fire Door Yavru
Kanatlı Düz Krem
Small Door Leaf Flat Cream



TKN 105
Yangın Kapısı - Fire Door Tekli
Düz Kırmızı
Single Leaf Kırmızı



Darbeye Dayanır
40 Ton
Impact Resistant
40 Tonne



Eğilmeye Dayanır
5 Ton
Flexure Endurance
5 Tonne



Neme Dayanıklıdır
Resistant To Moisture



Dayanıklı Ön Zırh
Durable
Front Armor



Ayarlı Menteşe
Adjustable
Hinge



Ses İzolasyonu
Sağlayan Özel Yapı
Special Structure That
Provides Sound Insulation



Isı İzolasyonu
Sağlayan Özel Yapı
Special Structure
That Provides Heat
Resistance Isolation



Çevre Dostu
Eco - Friendly



E60, EI2 45



Çizilmeye Karşı
Dayanıklı Yüzey
Surface Resistance
To Scratching

TEKNİK KAPILAR

TECHNICAL DOORS



TKN 106
Yangın Kapısı - Fire Door
Yavru Kanatlı Camlı Antrasit
Small Door Leaf With Glass Anthracite



TKN 107
Yangın Kapısı - Fire Door
Tek Kanatlı Camlı Antrasit
Single Leaf with Glass Anthracite



TKN 120
Menfezli Teknik oda kapısı
Steel Door With Aluminium Louver
Single Leaf Anthracite



TKN 121
Çift Kanatlı Menfezli Teknik oda kapısı
Double Leaf Steel Door With Aluminium Louver Anthracite



TKN 108
Teknik Odası Kapısı
Çift Menfez

Technical Room Door
Double Vent

Düz Krem
Flat Cream

4313.58



TKN 109
Teknik Odası Kapısı
Tek Menfez

Technical
Room Door
Singel Vent

Düz Krem -
Flat Cream
4313.58



Teknik Oda Kapıları Genel Özellikler

- Kasa**
- 2 mm galvaniz çelik
- Kanat**
- 1mm x2 yekpare galvaniz çelik
- Boya Teknolojisi**
- Çift katman Epoksi astar ve texture elektro statik boya
- Kanat İç Malzemeleri (Sertifikalarına göre)**
- Taş yünü
- Seramik yünü
- Alçıpan
- Opsiyonel Aksesuar**
- Alüminyum menfez
- İç, dış müdahale kolları
- Panik bar sistemleri

Technical Room Doors General Features

- DOOR FRAME**
- 2 mm Galvanized Steel
- Door Leaf**
- It is made from 1 mm two monolith plates galvanized steel
- Paint Technology**
- Double layer Epoxy primer and texture electrostatic paint
- Leaf Inner Materials (According to their certificates)**
- Rock wool
- Ceramic wool
- Drywall
- Optional Accessory**
- Aluminium louver
- Interior, external intervention arms
- Panic bar systems

DOUBLE

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

CAM

- 6+18+6 Temperli ısı cam

OPSİYONEL

- Tuana Ahşap kasa kaplama veya Alüminyum geçme
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel UV PVC lamine yüzey
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm 24 cm wall thickness
- Over 24 cm holds special manufacturing

GLASS

- 6+18+6 Tempered double glazing

OPTIONAL

- Tuana & Aluminium or Wooden frame coating can be done
- Inside door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- special UV PVC laminated surface over steel leaf
- Inside door leaf is filled by 42 density polyurethane
- Hook locking system
- 3 pieces stable safety pin
- Chrome or aluminium quadratic door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



DBL 109

Double Serisi

Akik UV Koyu Meşe

Akik UV Dark Oak

DBL WDN 103

Double Serisi

Noble Doğal Ağaç

Noble Natural Wood



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Kasa içi dekoratif eloksallı alüminyum profil

CAM

- 6+18+6 Temperli ısı cam

OPSİYONEL

- Ahşap kasa kaplama veya Alüminyum geçme

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel dış ortam şartlarına dayanıklı dış budak doğal ağaç
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Kaynaksız ayarlı menteşe

DOORFRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing
- Inside door frame decorative eloxal aluminium profile

GLASS


- 6+18+6 Tempered double glazing

OPTIONAL

- Aluminium or Wooden frame coating can be done

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Surface resistant to outdoor conditions (Natural Ash Wood)
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 3 pieces stable safety pin
- Chrome or aluminium quadratic door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium



DOUBLE



DBL WDN 104
Marin Doğal Ağaç
Marin Doğal Ağaç
Marin Natural Wood

DBL PR 102
Pierre Serisi
Pierre 102 Antrasit - Cam
Pierre 102 Anthracite - Glass



KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm üzeri özel üretim
- Elektrostatik toz boya

OPSİYONEL

- Tuana Ahşap kasa kaplama veya Alüminyum geçme
- Kasa içi dekoratif eloksallı alüminyum profil

KANAT

- 1,2 mm x2 yekpare galvaniz çelik
- Çelik üzeri özel dış ortam şartlarına dayanıklı dış budak doğal ağaç ve dekoratif cam
- 42 densite poliüretan dolgu
- 14'lü merkezi kilit sistemi
- Geniş açılı lüks boru dürbün
- 3 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL

- Tuana & Aluminium or Wooden frame coating can be done
- Inside door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Surface resistant to outdoor conditions solid ish tree
- Inside door leaf is filled by 42 density polyurethane
- 14 central locking system
- 3 pieces stable safety pin
- Chrome or aluminium quadratic door handle 50 cm
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart elektrostatik toz boya
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Dış ortam koşullarına dayanıklı taş ve cam yüzey
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi



- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çita
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

OPTIONAL

- Tuana & Aluminium or Wooden frame coating can be done
- Inside door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Rock and glass surface resistant to external weather conditions
- Inside door leaf is filled by 42 density polyurethane
- Monoblock locking system
- 3 pieces stable safety pin
- Chrome or aluminium quadratic door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium

DOUBLE



DBL PR 120
Pestij Serisi
Diana
DB 99 Açık Abanoz
DB 99 Light Ebony

KASA

- 2 mm galvaniz çelik
- 18 - 24 cm duvar kalınlığı
- 24 cm ve üzeri özel ölçü
- Standart elektrostatik toz boya
- Kasa içi dekoratif eloksallı alüminyum profil

OPSİYONEL

- Alüminyum & Ahşap kasa kaplama seçeneği

KANAT

- 1,2 mm X 2 yekpare galvaniz çelik
- Dış ortam koşullarına dayanıklı
- Kopmpozit yüzey
- 42 densite poliüretan dolgu
- Monoblok kilit sistemi

- 6 adet sabit emniyet pimi
- Gizli emniyet kelepçesi
- Krom yada alüminyum kare kol
- Kanat etrafı dekoratif eloksallı alüminyum çıta
- Geniş açılı lüks dürbün
- Kaynaksız ayarlı menteşe

CAM

- 6+18+6 Tamperli ısı cam

DOOR FRAME

- It is made from 2 mm galvanized steel
- Frame can be adjusted to 18 cm - 24 cm wall thickness
- Over 24 cm holds special manufacturing

GLASS

- 6+18+6 Tempered double glazing

OPTIONAL

- Tuana & Aluminium or Wooden frame coating can be done
- Inside door frame decorative eloxal aluminium profile

DOOR LEAF

- It is made from 1,2 mm two monolith plates galvanized steel
- Surface resistant to outdoor conditions
- Inside door leaf is filled by 42 density polyurethane
- Monoblock locking system
- 3 pieces stable safety pin
- Chrome or aluminium quadratic door handle
- Luxury peephole
- Weldless adjustable hinges
- Around door leaf is designed by special anodized aluminium




DBL PR 121
Pestij Serisi
Trian
DB 43 Duman Gri
DB 43 Smoke Grey



DB - 98 Koyu Abanoz Dark Ebony	DB - 99 Açık Abanoz Light Ebony	DB - 86 Antik Bambu Antique Bamboo	DB - 95 İnce Ceviz Nussbaum	DB - 90 Kalın Altın Meşe Line Wood	DB - 91 İnce Altın Meşe Fine Wood	DB - 93 Tik Teak	DB - 94 Açık Altın Meşe Kiefer Line Wood
Dış Cephe İçin Uygundur Güneşe Dayanır	Darbeye Dayanır 40 Ton	Eğilmeye Dayanır 5 Ton	Neme Dayanıklıdır	Dayanıklı Ön Zırh	Ayarlı Menteşe	Ses İzolasyonu Sağlayan Özel Yapı	Isı İzolasyonu Sağlayan Özel Yapı
Suitable For Exterior Facade	Impact Resistant 40 Tonne	Flexure Endurance 5 Tonne	Resistant To Moisture	Durable Front Armor	Adjustable Hinge	Special Structure That Provides Sound Insulation	Special Structure That Provides Heat Resistance Isolation
						Çevre Dostu	E60, E1, 45
							Çizilmeye Karşı Dayanıklı Yüzey
							Surface Resistance To Scratching

ÖRNEK PROJELER

SAMPLE PROJECTS



4441694
falez[®]
kapi
istiyorum.com



BAKIRCILAR ÇELİKKAPI
ALÜ. MOB. MAD. MER. İNŞ. TİC. ve SAN. LTD. ŞTİ.

Genel Müdürlük & Fabrika / Head Office & Factory
Organize Sanayi Yolu Odabası Köyü ANTALYA
Tel: +90.242. 424 83 27 - 28 pbx Fax: +90.242. 424 83 29
www.falezcelikkapi.com info@falezcelikkapi.com

444 1 694

Ürün görselleri ileri teknoloji kullanılarak hazırlanmaktadır. Çok az da olsa baskıdan veya ekran kalitesinden kaynaklanan
görünüş ve tipografik hatalar olabilir. Müşterilerimizin bu hususu dikkate almasını rica ederiz. Falez Çelik Kapi gereğinde
katalogta ya da web sitesinde yayınladığı kapi modellerinde ve görsellerinde değişiklik yapma hakkına sahiptir.



19 Şubat 2021'de Hat Baskı Sanatları
Tarafından 1000 Adet Basılmıştır